


Predictability of the 2006-07 South East US Drought Ben Kirtman and Johnna Infanti





2006-07 Drought Predictability

- Analysis Based on the NMME Hindcast Data
- SST Correlation and RPSS
 - NMME vs. CFSv2
- North American Precipitation Correlation and RPSS
 - NMME vs. CFSv2
 - Winter vs. Summer
 - Lead Time Dependence
- 2006-07 Precipitation Hindcasts
 - Predictability: Spread vs. Nino34











6-month Lead



US NMME SSTA Correlation Coefficient

6 Month Lead August Initial Conditions (1982-2010)



Each Ensemble Member from Each Model Weighted Equally – 89 Ensemble Members

July 1 start
DJF SST
forecast
RPSS





Figure: M. Tippett

NMME Precipitation Correlation 2 Month Lead (December IC)

Each ensemble member weighted equally




Each Ensemble Member from Each Model Weighted Equally – 89 Ensemble Members

July 1 start **DJF** prec **forecast RPSS**

Figure: M. Tippett







Jan 1 start **RPSS**

Figure: M. Tippett







Precipitation Anomaly Correlation – Winter Seasons




Precipitation RPSS – Winter Seasons



FMA2006 CMAP Precipitation Anomaly vs. All Model, All Ensemble Average FMA2006 (Aug2005 and Dec2005 IC) Precipitation Anomaly (*note color scale change for model images)



All Model, All Ensemble Average of Dec 2005 IC, FMA 2006 Seasonal Average of Precip Anomalies




FMA2007 CMAP Precipitation Anomaly vs. All Model, All Ensemble Average FMA2007 (Aug2006 and Dec2006 IC) Precipitation Anomaly (*note

color scale change for model images)


CMAP Precipitaiton Anomaly for FMA 2007


All Model, All Ensemble Average of Aug 2006 IC, FMA 2007 Seasonal Average of Precip Anomalies



Prec_Feb2007IC_1.5LT_FMA

All Model, All Ensemble Average of Dec2006 IC, FMA 2007 Seasonal Average of Precip Anomalies






Data Min = -0.69231, Max = 0.51235

NMME Ensemble Range in SEUS, Precipitation Anomalies, Feb Starts

Range of Ensemble Members – All Feb Starts and Corresponding Lead Times (Southeastern US Area Averaged Precipitation Anomaly)



Blue: NMME Ensemble Mean


Black: Observations

Gray: Ensemble Members

Red: Observations with 6pt smoother

NMME Ensemble Range in SEUS, Precipitation Anomalies, Sep Starts

Range of Ensemble Members – All Sep Starts and Corresponding Lead Times (Southeastern US Area Averaged Precipitation Anomaly)




Blue: NMME Ensemble Mean

Black: Observations

Gray: Ensemble Members


Red: Observations with 6pt smoother

2006-2007 Drought Comparison using Feb and Sep starts



NMME Ensemble Mean Observations Ensemble Members


FMA2007 Ensemble Member Results versus Observations (Above and Below Normal Terciles Shown, Neutral Events Masked out)




Red Bars: Observed Precipitation Anomaly

Blue Bars: Ensemble Member Precipitation Anomaly (Above and Below normal terciles only)


FMA2006 NCDC SST Anomaly vs. All Model, All Ensemble Average FMA2006 (Aug2005 and Dec2005 IC) SST Anomaly









FMA2007 NCDC SST Anomaly vs. All Model, All Ensemble Average FMA2007 (Aug2006 and Dec2006 IC) SST Anomaly







Idealized Predictability



Concluding Remarks

- Relative Success in JFM 2006
- Relative Failure in JFM 2007
- Models Argue for Suggest Significant Predictability Due to ENSO, But
- Too Robustly Linked to Tropical Pacific?
- 2007 Failure Linked to Tropical Pacific Failure?
- Land Initialization Feedbacks?